DESCRIPTION OF THE GOODALL SEMI-METALLIC HOSE & MANUFACTURING COMPANY LANDS, CHESTERTOWN, KENT COUNTY, MD.

Beginning for the same at an iron pipe on the southwest side of the concrete walk on the southwest side of High Street, said point being the easternmost corner of the herein described lands and the northernmost corner of the lands of Edith A. Wallace; and running, thence, by and with said Wallace lands to, by and with, and with the extension of the face of the brick wall along the southeast side of the building on the herein described lands 5 1 19 20 W - 101.33' to an iron pipe on the northeast side of an unimproved 6' alley running between the herein described lands and the lands of Samuel G. Crossley; thence, by and with the northeast side of said alley N 39 29 10 W - 50.01' to an iron pipe on the inside of the concrete walk on the southeast side of College Avenue; thence, by and with the southeast side of said road N 49 58 E - 102.00' to the southwest side of High Street; thence, by and with the southwest side of High Street; thence, by and with the southwest side of High Street S 38 45 E - 52.43' to the place of beginning. Containing in all 5206 square feet of land, more or less.

November 9, 1977.

William R. Nuttle.

Run bash of Goodall property EHP 66/800 EHP 43/63 Lee to ambalitles EHP 4/745 Coper to Lee RAS7/256 Bonnett to Cooper REA 8/191 (RAS 3/314) Newton to Bonnett RRA 3/187 Townshend to Bramble APR 9/151 Bran Barnes to Bramble APR 6/395 Rayner to Barnes

APR 5/531 - Vannort to Rayner Prov. 1919 558/310 Marion dek. Smille to avis F. Vannoch Oct. 1886 Begin inter SE side College are and Sw side High St. of High SE dir. 50 to Milvin w/s 500 - 138' parallel with High NW dir. 50 to College ave wfs NE dir. 138 to begin SB 8/312 - Vannor to Martin Begin on College Que at ear. Lood w/ College ave. Z6'6" to 6 alley A 45 walley 50' to Milvin NAS W/s 266" to Wood It to wood 50 to begin

138.05

CHEST, MAP 20

Goodall
Semi-Metallie
Semi-E NIG.

Hose Co.

Wallace

H P 66 Boo EUP 67

ALLEY

Samuel G.

Crossley

EHP 641 390

ballace - EHP 67/5 - fronting on High St. 30' with even depth of 120'

Crossley EHP 64/390

Begin on College ave. at evr. of Mrs. Dilbert bood wf ed. 26'6" to 6' alley

rh. \$5 wf atley 50' to John W. Melvin

" " wf Melvin 26'6" to bood

" · w/ wood 50' to begin

35"

_

HIGH STREET con. walk 52.43 2 STY. BRICK DWG. curb porch porch EDITH A. WALLACE 5206 SQ. FT. ± N 39° 29'10"W 50.01 6' ALLEY SAMUEL G. CROSSLEY con.

This is to certify that the improvements indicated hereon are located as shown.

4180

SURVEY AND IMPROVEMENTS LOCATION

GOODALL SEMI-METALLIC HOSE & MFG. CO.

CHESTERTOWN, KENT COUNTY, MD.

Scale | "= 20"

Nov. 1977:

William R. Nuttle, Reg. Surveyor Chestertown, Md.

1.P. = iron pipe